

DeckWise.com

Manufacturers of Hidden Deck Fasteners & Accessories

AMERICAN COMPANY
AMERICAN TRADITION
AMERICAN PRIDE™

DISCOVER WHAT
OTHERS ALREADY KNOW.™

ABOUT OUR COMPANY



DECKWISE®, THE IPE CLIP® FASTENER CO., LLC,

manufactures deck building products for use with exotic Brazilian hardwoods, thermally modified wood and composite material. Our decking products and accessories have been developed by our in-house professional team of engineers, machinists, and mold makers from what contractors have asked for.

Our claim to fame is our patented **IPE CLIP® EXTREME® HIDDEN DECK FASTENER** series comprised of a stainless steel reinforcing insert that firmly holds decking to joists with up to 3X more hold-down strength than other edge-mount deck fasteners.


From the time our company was founded in

2000, every year has brought extensive growth. With every innovative decking product we bring to the market we continue to expand our worldwide footprint of dealers and distributors. We align with their main goal to provide their customers with the highest-quality decking tools and accessories on the market.

DeckWise.com

Manufacturers of Hidden Deck Fasteners & Accessories

- 1** DeckWise® ThermoClip™ hidden deck fastener installed on Thermally Modified Ash.
- 2** Composite decking installed with DeckWise® ExtremeKD® hidden deck fastener system.
- 3** Beautiful hardwood stairs fastened with DeckWise® hidden fasteners.



A WiseChoice™

If it says DeckWise®, you know you are using the best there is.

MANUFACTURING DECKING SOLUTIONS...Revolutionizing the deck building industry.



DO IT ONCE,
DO IT RIGHT,
DO IT OUT OF SIGHT!®

DeckWise.com 

ACCEPT THE EXCEPTIONAL™

At DeckWise®, we understand there are countless hardwood deck building products available on the market and material options can be overwhelming. That's why DeckWise® backs the products we manufacture with patents, warranties and a guarantee that our products were developed to perform exceptionally, and exactly, even under the most stressful climates.

TABLE OF CONTENTS

Call **866-427-2547**
for ordering

DeckWise® Ipe Clip® Hidden Deck Fasteners	6
DeckWise® Thermo Clip™ Hidden Deck Fasteners	8
DeckWise® Ipe Clip® Hidden Deck Fasteners Contractor Buckets.....	10
DeckWise® Hardwood Plugs & ThermoPlug™	12
DeckWise® Stainless Steel Hidden Siding Fasteners	14
DeckWise® 1x Rainscreen Hidden Siding Fasteners	16
DeckWise® #8 Trim-Head Deck Screws	18
DeckWise® #10 Bugle-Head All Purpose Screws.....	20
DeckWise® #8 Heat-Treated Deck Screws	22
DeckWise® #7 Metal Joist Self-Tapping Screws	24
DeckWise® #10 Composite Decking Screws	26
DeckWise® Trailer Deck Screws.....	28
DeckWise® Drill&Drive™ 3-in-1 Drill Bit Set.....	29
DeckWise® Ipe Oil® & Ipe Oil® Plus™ Hardwood Finishes	30
DeckWise® WiseCoat® Clear Wood Deck, Siding & Fence Sealer	31
DeckWise® Ipe Seal® & WiseSeal® End Grain Sealers	32
DeckWise® Wood Deck Cleaner & Brightener	33
DeckWise® WiseCoat® Concrete & Paver Acrylic Sealer	34
DeckWise® Deck Ice-Melt	35
DeckWise® Hardwood Deck Tiles	36
DeckWise® Deck Tile Connector System	38
DeckWise® Altitude Pedestal® System.....	40
DeckWise® Hardwood Wrench™ & Hardwood Wrench Jr.™	42
DeckWise® WiseWrap® JoistTape™ & LedgerTape® Deck Flashing.....	44
DeckWise® WiseGuides® Deck Board Spacers.....	45
DeckWise® WiseBond® Epoxy Systems	46
DeckWise® Decking Tools and Accessories	47

NOTE: Product colors, measurements, specifications and dimensions in catalog are approximate. Call for samples prior to ordering to ensure accuracy.

CUSTOM CO-BRANDING

Programs available
for dealers & distributors
on select DeckWise®
decking products.

Call **866-427-2547** for
complete details.

YOUR **COMPANY** HERE!



HIDDEN DECK FASTENERS

Manufactured By DeckWise®

Ipe Clip®

Hidden Deck Fasteners



The DeckWise® Ipe Clip® **EXTREME®** Hidden Deck Fastener line features a hardened stainless steel insert with a black oxide coating. The insert is molded inside the fastener for the ultimate concealed

look with supreme reinforcing hold-down strength.

Every hardwood deck built with the DeckWise® Ipe Clip® **EXTREME®** hidden deck fastener series will produce a smooth, beautiful and longer-lasting deck for generations to come.



Available in our **3 SIGNATURE COLORS** to match your decking.



Shadowline Black • Hardwood Brown • Composite Gray

COMPLETE KIT CONTAINS

- (175) Ipe Clip® Hidden Deck Fasteners
- (190) Stainless Steel Star Drive Deck Screws
- (12) 3/8" Tapered Ipe Plugs
- (1) 1/8" High Speed Drill Bit
- (1) T15 Star Drive Tip
- (3) Deck Board Spacers*
- (1) Instruction Sheet

100 CT. KIT CONTAINS

- (100) Ipe Clip® Hidden Deck Fasteners
- (100) Stainless Steel Star Drive Deck Screws
- (1) Instruction Sheet

Deck Screws can be ordered in multiple sizes, types and colors depending on your decking application.

*Deck board spacers are included in EXTREME-S® and EXTREMEKD® kits only.

Use With Exotic Hardwoods, Composite Decking, & Thermally Modified Woods!

EXTREME®

Gap Spacing 3/32" (2,4mm)

EXTREMES®


Gap Spacing 5/32" (4mm)

EXTREMEKD®

Gap Spacing 1/4" (6,4mm)




Recommended for use with:
**Air-Dried Lumber
& Composites**




Hardened stainless steel insert with a black oxide coating inside rigid UV and chemical-resistant polypropylene.

Thinner leg maintains a perfect gap when deck material naturally contracts and expands.

Short leg height = .242" (6,14 mm)
Tall leg height = .375" (9,525 mm)



Recommended for use with:
**Air-Dried, Kiln-Dried
Lumber, & Composites**




Hardened stainless steel insert with a black oxide coating inside UV and chemical-resistant polyethylene.

Versatile leg is compatible with most decking materials. Leg returns to it's original shape as decking material expands and contracts.

Leg height = .242" (6,14 mm)



Recommended for use with:
**Kiln-Dried Lumber,
Composites, & PVC**



Hardened stainless steel insert with a black oxide coating inside UV and chemical-resistant polyethylene.

Hollow leg acts as a shock absorber as decking material expands and contracts.

Leg height = .242" (6,14 mm)

EXTREME® Ipe Clip® Series - U.S. Patent Numbers 8,464,488 and 8,806,829.
Original, "round", STANDARD Ipe Clip® - U.S. Patent No. D470,039.

Elevate Your Deck Building Experience with **ThermoClip™ Hidden Deck Fastener Clips**



Transform your outdoor living space with the revolutionary ThermoClip™ hidden deck fastener clips by DeckWise®, designed specifically for securing thermally modified wood deck boards to deck joists.

This unique and patented fastener design offers quick and easy installation, while giving both do-it-yourselfers and expert decking contractors a smooth, fastener-free, and family-friendly surface.

Do It Once, Do It Right, Do It Out Of Sight!™

ThermoClip™ deck fasteners are engineered to meet the unique demands of thermally modified wood decking. Our pioneering deck fastener is crafted to elevate your deck building project, ensuring a seamless and durable deck surface that stands the test of time.



Key Features:

- Up To 3X More Hold-Down Strength
- Stainless-Steel Screws for Superior Durability
- Rigid Stainless-Steel Insert to Prevent Overdriving
- Automatic 1/4" Gap for Proper Ventilation
- Hollow Leg Acts as A Shock Absorber
- Effortless 90 Degree Installation Process
- Durable And Weather-Resistant
- Clip Is Camouflaged & Concealed Between the Boards



EXTREMETC

Gap Spacing 1/4" (6,4mm)



COMPLETE KIT CONTAINS

- (175) ThermoClip™ Deck Fasteners
- (190) Stainless Steel Star Drive Deck Screws
- (1) T15 Star Drive Tip
- (3) Deck Board Spacers
- (1) Instruction Sheet

*ThermoPlug™ 3/8" Ash or Pine tapered wood plugs sold separately.

90 CT. KIT CONTAINS

- (90) ThermoClip™ Deck Fasteners
- (100) Stainless Steel Star Drive Deck Screws
- (1) T15 Star Drive Tip
- (3) Deck Board Spacers
- (1) Instruction Sheet



*ThermoPlug™ 3/8" Ash or Pine tapered wood plugs sold separately.

Deck Screws can be ordered in multiple sizes, types and colors depending on your decking application.

Elevate your deck building project with the ThermoClip™ hidden deck fastener clips from DeckWise®. Enjoy the benefits of thermally modified wood decking with a reliable and high-performance fastening solution. Explore our range of innovative products that empower you to create the deck of your dreams.

DeckWise® – Where Quality Meets Innovation in Deck Building!

EXTREMETC ThermoClip™ Series - U.S. Patent Numbers 8,464,488 and 8,806,829.
Original, "round", STANDARD Ipe Clip® - U.S. Patent No. D470,039.




Recommended for use with:

Heat Modified & Chemically Modified Wood

Hardened stainless steel insert with a black oxide coating inside UV and chemical-resistant polyethylene.

Hollow leg acts as a shock absorber as decking material expands and contracts.

Leg height = .242" (6,14 mm)



CONTRACTOR BUCKETS

2 & 5 GALLONS

Manufactured By DeckWise®

Use with exotic **HARDWOODS**,
THERMALLY MODIFIED WOODS &
COMPOSITE DECKING.

The **CONTRACTOR BUCKETS** from DeckWise® were designed with professional contractors in mind. Containing enough **Ipe Clip® fasteners or ThermoClip™ fasteners**, deck screws, and accessories for the largest decking projects; everything deck builders need to get the job done.

DeckWise® Contractor Buckets are available in both 525 and 1050 quantity containers.



2 Gal. Contractor Bucket 5 Gal. Contractor Bucket

2 Gal. Contractor Bucket

- (525) Hidden Deck Fasteners
- (570) #8x2" Black Stainless Steel Star Drive Trim-Head Deck Screws
- (3) 1/8" High Speed Drill Bit*
- (3) T15 Star Drive Tip
- (6) Deck Board Spacers
- (1) Instruction Sheet

5 Gal. Contractor Bucket

- (1050) Hidden Deck Fasteners
- (1140) #8x2" Black Stainless Steel Star Drive Trim-Head Deck Screws
- (5) 1/8" High Speed Drill Bit*
- (5) T15 Star Drive Tip
- (6) Deck Board Spacers
- (1) Instruction Sheet

*High Speed Drill Bit not included with ThermoClip™ Fastener Kits.

*ThermoPlug™ 3/8" Ash or Pine tapered wood plugs sold separately.

DeckWise® Ipe Clip®
Limited Warranty

Ipe Clip®

Hidden Deck Fasteners



EXTREME® EXTREME S® EXTREME KD®

(Page 6-7)



#8x2" Black Colomatch Stainless Steel Deck Screws

(Page 18-19)



Deck Board Spacers 5/32"

OR



Deck Board Spacers 1/4"

(Page 45)



T15 Star Drive Tip

(Page 47)



1/8" Drill Bit



ThermoClip™

Hidden Deck Fasteners



EXTREME TC™

(Page 8-9)



#8x2" Black Colomatch Stainless Steel Deck Screws

(Page 18-19)



Deck Board Spacers 1/4"

(Page 45)



T15 Star Drive Tip



HARDWOOD PLUG KIT COMPLETE SYSTEM

Manufactured By DeckWise®

DeckWise® **HARDWOOD PLUGS** help ensure a truly smooth, flat deck surface.

HARDWOOD PLUGS SMOOTH

A tapered design makes installation smooth and easy. Available in five different hardwood species to match your decking.



Sizes Available	Cumaru	Tigerwood	Teak	Ipe	Massaranduba
3/8" (9,5mm)	✓	✓	✓	✓	✓

EXTREME PLUGS® RIBBED

Most holes are not drilled perfectly round because a hand held drill wobbles during use creating an oblong hole. The EXTREME PLUGS® tolerance-absorbing rings around the diameter snugly fill oblong holes and provide more surface area for glue to hold tight.



Sizes Available	Cumaru	Tigerwood	Garapa	Ipe	Massaranduba
3/8" (9,5mm)	✓	✓	✓	✓	✓
10mm	✓	✓	✓	✓	✓
12mm	✓	✓	✓	✓	✓

Custom sizes available for our **HARDWOOD & EXTREME PLUGS®**.
Ask an associate for details, pricing, and minimum quantities.

MASTER PLUG KIT COMPLETE SYSTEM

Distributed By DeckWise®

ThermoPlug™

Thermally Modified Wood Plug

THERMOPLUGS™ SMOOTH

A tapered design makes installation smooth and easy. Available in Ash and Pine species to match your decking.



Sizes Available

Thermally
Modified
Ash

Thermally
Modified
Pine

3/8" (9,5mm)

✓

✓

MASTER PLUG KITS

When hidden deck fastening is NOT the preferred choice, we have the perfect complete hardwood plug kit for countersink screws on the market. Our **Master Plug Kit** solves the problem by including your choice of 5 hardwood plug species or ThermoPlugs™ including a leading brand of wood glue in every kit.

- 350 ct. or 1,050 ct. **Hardwood plugs** or **Thermally Modified plugs**
- 350 ct. or 1,050 ct. DeckWise® #8x2" 305 grade Stainless Steel Screws
- 1 Complete Drill&Drive™ 3-in-1 Drill Bit Set
- 4 oz. Bottle Of Gorilla Glue®
- Substitute screw options available. Call DeckWise® for a quote.



5/4 STAINLESS STEEL HIDDEN SIDING FASTENERS

Manufactured By DeckWise®

Install hardwood siding with
NO VISIBLE fasteners
on the surface.

Crafted from solid 304 Grade stainless steel, DeckWise® **5/4 BOARD HIDDEN SIDING FASTENERS** create a smooth, sleek and upscale look. The entire system is designed to significantly reduce cupping, twisting, and mold growth due to water penetration. The DeckWise® Hidden Siding Fastener system is perfect for both residential and commercial applications.



Hidden Siding Fasteners	50 count	175 count	300 count	1050 count
Starter Clips	-	12	20	64
#8x2" Screws	50	190	325	1130
T15 Tip(s)	1	1	2	3



DeckWise®
Starter Clips



DeckWise®
Hidden Siding Fasteners

U.S. Patent Number D663,612S




#8x2" Stainless Steel
Trim-Head Screws



T15 Driver Tip

Fasten with
#8x2" DeckWise®
Stainless Steel
Deck Screws



DeckWise® Hidden
Siding Fastener

Hardwood Siding


House Wrap

1/2" Plywood
Wall Sheathing

1" x 4" Pressure
Treated Furring
Strips

With the secondary affixing screw hole, installing siding vertically, angularly, and overhead becomes effortless, eliminating concerns about loose boards. This strategically positioned screw hole pierces the siding board, anchoring it securely to the underlying furring and substructure. This innovative design feature opens up a world of possibilities for new and creative siding designs.

Screw location if hanging
siding on the vertical,
angular, or overhead



Screws
install
at a 45°
angle for
increased
holding
strength

SECTION A-A

Secondary
screw hole



DeckWise® Hidden
Siding Fastener



DeckWise®
Starter Clips



1X RAINSCREEN HIDDEN SIDING FASTENERS

Manufactured By DeckWise®

Install hardwood siding with
NO VISIBLE fasteners
on the surface.

The DeckWise® **1X RAINSCREEN 3/4 BOARD SIDING FASTENER** is fabricated from the high-quality marine grade aluminum. Rainscreen fastener clips install directly over plywood or OSB exterior sheathing with a single stainless-steel screw providing a 3/4" standoff for ventilation. Most impressive is that our rainscreen siding fastener system eliminates the need for starter clips and furring strips all together.



1X Rainscreen Siding Fasteners:	50 count	100 count	300 count
#9x1" Screws	60	125	350
#9x1½" Screws	60	125	350
T20 ttap Tip(s)	1	1	2



DeckWise®
1X Rainscreen Siding Fasteners




#9x1" and #9x1½" Flat Pan Head
Stainless Steel Screws



T20 ttap® Driver Tip
*TORX® and ttap® are the registered trademarks of Camcar Innovations.

Our rainscreen fastener design not only ensures ease of installation but also doubles as a starter clip, eliminating the need for multiple clip shapes and sizes. Installing 3/4 hardwood rainscreen siding has never been simpler or more straightforward.



STAINLESS STEEL TRIM-HEAD DECK SCREWS


Distributed By DeckWise®

**#8 STAINLESS STEEL
DECK SCREWS**
For hardwoods & thermally
modified woods.

Builders know the DeckWise® brand of stainless steel **TRIM-HEAD** deck screws are a great way to ensure deck boards stick tight to joists with hidden deck fasteners. As part of the DeckWise® line of deck building products, our Colormatch screws give builders and DIY homeowners a reliable and secure way to fasten most types of decking material. From exotic hardwoods to thermally modified woods and composites, we've got you covered.



- 305 grade stainless steel provides anti-corrosion benefits (Also available in 316 marine grade stainless steel. Call for availability.)
- T15 Star Drive finish heads for less stripping
- Type 17 auger tip for easy penetration





Hidden Deck Fastening
Exotic Hardwoods



Face Screw Exotic Hardwoods
& Thermally Modified Woods



Hidden Deck Fastening
Thermally Modified Woods

 Shadowline Black

 Hardwood Brown

 Stainless Steel

 Cedar

 Rosy Brown

 Outdoor Gray



Sizes Available	100 count	350 count	1050 count	1750 count
#8x1" (4x25mm)	✓	✓	✓	✓
#8x1-1/2" (4x38mm)	✓	✓	✓	✓
#8x2" (4x50mm)	✓	✓	✓	✓
#8x2-1/2" (4x64mm)	✓	✓	✓	✓
#8x3-1/8" (4x79mm)	✓	✓	✓	✓

Colormatch your #8 deck screws to your decking material with 6 signature color choices.

STAINLESS STEEL BUGLE-HEAD DECK SCREWS

Distributed By DeckWise®

**#10 STAINLESS STEEL
DECK SCREWS**
For all types of deck building needs.

The DeckWise® **BUGLE HEAD T25** stainless steel decking screws are perfect for any patio or deck project including many framing projects. The double countersink flat bugle head has 6 nibs and utilizes a 6 lobe T25 star drive to reduce cam-out and increase torque. This screw is a chipboard thread screw with partial thread and triple spline (one at the beginning on the

thread and two at the end of point). Easily penetrate dense hardwoods with the Type 17 point.

DeckWise® Colormatch #10 decking screws are made from high-quality 305 grade stainless steel for optimum performance with hardwoods, thermally modified woods, as well as composite decking material.


- 305 grade stainless steel for optimum anti-corrosion performance (Also available in 316 marine grade stainless steel. Call for availability.)
- T25 Star Drive finish heads
- Type 17 Auger tip for quick installation

#10x3-1/8"



#10x2-1/2"





 Hardwood Brown

 Stainless Steel

 Cedar

 Outdoor Gray



Sizes Available	100 count	350 count	1050 count	1750 count
#10x2-1/2" (5x64mm)	✓	✓	✓	✓
#10x3-1/8" (5x79mm)	✓	✓	✓	✓

Colormatch your #10 deck screws to match decking material with 4 signature color choices.

STAINLESS STEEL HEAT-TREATED DECK SCREWS

Distributed By DeckWise®

#8 STAINLESS STEEL DECK SCREWS

Heat-treated for toughness.



The **DECKWISE® HTSS™** (Heat-Treated Stainless Steel) deck screws offer our specially engineered four-sided tips with a serrated thread design to minimize board splitting or splintering, even when screwing near the edge.

Our HTSS™ screws are an 18-8 heat treated screw for hardened toughness and feature the patented **ttap®** T15 Star Drive head with locking nib. This means, less stripping, less snapping and less headaches when installing hidden deck fasteners, hidden siding fasteners or face screwing.

This screw design has been engineered exclusively for DeckWise® to make hidden fastener installations quicker than ever.

#8x1-3/4" & #8x2"




- **ttap®** T15 Star Drive head for less slipping
- Heat treated for hardened toughness
- Serrated saw threads remove sawdust
- Four sided tip for self-drilling



*TORX® and ttap® are the registered trademarks of Camcar Innovations.

DECKWISE® HTSS™ are heat treated for toughness and longevity on exotic or thermal wood decking. We suggest using the DeckWise® Drill&Drive™ drill bit set which comes with 1/8" bits, T15 tips and a 3/8" countersink.

NOTE: Pre-drilling is always suggested for quick installations of fasteners including countersinking for screw heads.



ttap® *feel the difference*™
patented



Locking bit to eliminate slipping.

Use in conjunction with the DeckWise® Drill&Drive™.



Sizes Available	100 count	350 count	1050 count	1750 count
#8x1-3/4" (4x45mm)	✓	✓	✓	✓
#8x2" (4x50mm)	✓	✓	✓	✓

DeckWise® HTSS™ deck screws are available as an option in all Ipe Clip® Hidden Deck Fastener Kits.



STAINLESS STEEL METAL JOIST DECK SCREWS

Distributed By DeckWise®

**#7 STAINLESS STEEL
DECK SCREWS**
Use on stainless steel
and sub-framing.



ExtremeS® Hidden Deck
Fastener shown with Thermally
Modified Ash Decking on New
Castle Steel Deck Framing.

More and more these days, contractors, architects and DIY deck builders are utilizing metal joist substructures to ensure longer-lasting, lower maintenance decks. The DeckWise® **SELF-TAPPING METAL JOIST DECK SCREW** is designed explicitly for metal joist applications.

The self-tapping auger tip penetrates metal joist substructures with ease. DeckWise® metal joist deck screws are high performance fasteners, which allow deck builders and architects to provide their customers with uniform, long-lasting, and clean surfaces when used in conjunction with our Hidden Deck Fasteners.

This screw has a low-friction Xylan® coating that acts as a barrier between the galvanized steel and the 410 stainless-steel, reducing direct contact between the two metals and thus minimizing the potential for galvanic corrosion.



#7x2-1/4"



#7x1-5/8"



STAR RECESS & UNDERCUT HEAD

Deep T-15 star drive tip recess; specially engineered head eliminates slipping and stripping.

TRIPLE STRENGTH CORROSION RESISTANCE

Xylan Coating + Low-Friction + Temperature Resistance = Corrosion Resistance

SELF-TAPPING POINT

#3 drill Auger tip digs in with ease and cleanly penetrates steel or aluminum joists.



Shadowline Black • Hardwood Brown • Stainless Steel





Colormatch these #7 deck screws to match decking material with 3 signature color choices.

Sizes Available	100 count	350 count	1050 count	1750 count
#7x1-5/8" (3.9x41mm)	✓	✓	✓	✓
#7x2-1/4" (3.9x57mm)	✓	✓	✓	✓

DeckWise® Metal Joist Deck Screws are available as an option in all DeckWise® Hidden Deck Fastener Kits.

STAINLESS STEEL COMPOSITE DECK SCREWS

Distributed By DeckWise®

Sizes Available	100 count	350 count	1050 count	1750 count
#10x2-1/2" (5x64mm)	✓	✓	✓	✓
Hardwood Brown	Rosy Brown	Cedar	Composite Grey	Composite Sand
				

Our **305 GRADE COMPOSITE SCREWS** are made to the same high standards as the DeckWise® products you've come to trust. These #10 x 2-1/2" screws are made of strong, corrosion-resistant stainless steel. Painted heads, in your choice of Hardwood Brown, Rosy Brown, Cedar, Composite Gray, or Composite Sand match the most popular colors of composite decking. The advanced auger point and thread design means

these screws perform the way you need it to, ensuring the highest quality deck building results.

These composite deck screws come with a T20 star drive and reverse threads directly below the head which, eliminates unsightly "mushrooming" of the composite decking during installation. Dual threads further compress fibers and pull deck boards tight to the joist. All done effortlessly without the need for pre-drilling or countersinking.



#10x2-1/2"



Hardwood Brown



Rosy Brown



Cedar



Composite Gray



Composite Sand



- T20 drive delivers plenty of torque without stripping out the heads
- Head designed to eliminate mushrooming or marring of deck surfaces
- These flutes grab the board and hold it tight to the joist
- Middle threads compress fibers deep in the hole, further helping to reduce mushrooming
- Lower threads grab the joist to additionally hold the board tight to the joist
- Sharp Type 17 auger point cuts fast and clean without splintering or splitting

5 color choices to match the most popular colors of composite decking.

SELF-TAPPING TRAILER DECK SCREWS

Distributed By DeckWise®

Strength made simple. DeckWise® **TRAILER DECK SCREWS** are OEM quality, thread cutting for installing hardwood planks on flatbed trucks, trailers, drop decks, utility trailers, low boys, dry vans and van bodies.

These Torx® ttap® drive trailer board fasteners are made from C1022 steel with a black phosphate coating for corrosion resistance. Each trailer deck screw is pre-oiled and comes with a thread cutting tip for easy installation.

TORX® and ttap® are the registered trademarks of Camcar Innovations.



Sizes Available

100 count

1/4"-20x2" (M6-1x50mm)	✓
5/16"-18x2½" (M8-1.25x65mm)	✓
5/16"-18x3" (M8-1.25x76mm)	✓

3-IN-1 DECK BUILDING DRILL BIT SET



Distributed By DeckWise®



Deck builders soon discover a significant boost in speed and productivity with the DeckWise® **Drill&Drive™** drill bit set.

But it's not just for deck

installations; DIY homeowners and contractors alike find its versatility ideal for various projects beyond decking. Whether it's for complete deck builds, touch-up tasks, or home renovation projects, the Drill&Drive™ system proves to be a valuable solution.

Use with exotic **HARDWOODS, THERMALLY MODIFIED WOODS, & COMPOSITE DECKING.**

Every Drill&Drive™ Kit Includes:

- 1 Quick Change Locking Collar
- 2 1/8" High-speed Drill Bit & 3/8" Countersink Tool with T15 Star Drive Tip
- 3 1/8" Drill Bit & 3/8" Countersink
- 4 On-board Hex Key
- 5 T15 Star Drive Tip



HARDWOOD DECK OIL NATURAL FINISH

Distributed By DeckWise®

Ipe Oil®

Hardwood Deck Finish

Ipe Oil® Plus™

Hardwood Deck Finish

HARDWOOD PROTECTION

IPE OIL® & **IPE OIL® PLUS™** Hardwood Deck Finishes are an oil-based natural wood finish specifically designed for use on exterior hardwood decks and hardwood siding. Both finishes provide excellent penetration on the most dense of hardwoods with minimal raising of the

grain. They protect and condition the hardwood while maintaining a completely natural appearance. Formulated for use on most exterior hardwood surfaces to enhance its natural beauty resulting in an exceptional luxurious appearance. Each come in 250 VOC and 100 VOC formulas.

PROVIDES:

- Exceptional Penetration
- Natural Grain Enhancement
- Water Repellency
- UV Barrier Protection
- Reduces Chances of Warps & Cracks

APPLICATIONS:

- Hardwood Decks
- Fences
- Hardwood Siding
- Wood Railings
- Outdoor Furniture
- All Exterior Wood Surfaces



1 US Gallon Covers Approx. 250-300 sq. ft.



1
SCRUB WITH DECKWISE®
CLEANER & BRIGHTENER



2
APPLY HARDWOOD FINISH



3
WIPE OFF EXCESS

30

Hardwood Care & Maintenance

RESTRICTED: Ipe Oil® 250 VOC can NOT be shipped to California areas including but not limited to LA SCAQMD.

WATER-BASED WOOD DECK SIDING & FENCE SEALER

WISECOAT®

Hardwood Deck, Siding & Fence Sealer

Distributed By DeckWise®



**1 US Gallon Covers Approx.
250-300 sq. ft.**

APPLICATIONS:


- Decks
- Fences
- Siding
- Outdoor Furniture
- Docks
- Shake Roofs
- Railings
- Timber Framing
- Play Sets

DeckWise® **WISECOAT® CLEAR PREMIUM WOOD SEALER** is a low VOC non-toxic waterproofer designed for use on hardwoods and thermally modified decking and siding surfaces. This water-based formula creates a long-lasting breathable barrier against the effects of mold and mildew, dry rot, peeling, cupping of wood. It coats the wood fibers down at the cellular level preventing cracking and splitting of the wood. WiseCoat® applied clear allows the wood to gray naturally.


Mixing in one of the 5 Tint Tones enhances the natural look of your wood or will modify your wood color to meet your project design necessities. These pigments also add UV protection!

Tint Pigments:

- “Original” (Light Brown)
- “Brown”
- “Dark Brown”
- “Gray”
- “Black”




Clear




Original




Brown



Dark
Brown



Gray



Black

*Examples of Tint colors are 1 coat on Ipe Hardwood.

WiseCoat® Clear or Tinted is non-film forming and guaranteed to prevent excessive water accumulation below the wood surface for up to six (6) years on horizontal surfaces and up to ten (10) years on vertical surfaces when used according to the product instructions.

Note: The wood species, color, age and condition of your wood, will influence the final color and finish of all DeckWise® products.

HARDWOOD END GRAIN PROTECTION

Ipe Seal®

Hardwood End Grain Sealer

WISESEAL

End Grain Sealer

Distributed By DeckWise®


Ipe Seal® and **WiseSeal®** are end cut sealants proven to increase the structural integrity of wood and composite material. These end cuts also expose hardwood lumber, thermally modified wood, and composite material to the elements which require added protection to prevent water intrusion that can lead to swelling, mold, mildew, warping and cupping.

NOTE: Due to differences in wood species, composite materials, variations in climatic conditions, and individual usage methods; results are NOT guaranteed.

Both sealers are designed to protect decking, siding/cladding, log ends, turning blanks, and other exposed end grain. DeckWise® makes it easy to protect inventory for long-lasting projects.



1 Pint (0.47 Liter) 1 Pint (0.47 Liter) 1 Quart (0.95 Liter) 5 Gallon (19 Liter)



LASTING PROTECTION

- **Ipe Seal®** is a hybrid wax emulsion sealer designed to prevent end checking (drying splits) in freshly sawn hardwood lumber, decking, siding, turning blanks and other green wood components.
- **WiseSeal®** is a durable water-based formula that is an eco-friendly sealer providing long-lasting protection. This product is also paintable and stainable after 24 hours.

DECK & WOOD CLEANER & BRIGHTENER

Distributed By DeckWise®

Product Applications:

- Wood Decks
- Wood Siding
- Wood Fences
- Wood Railings
- Outdoor Wood Furniture
- All Exterior Wood Surfaces



16 oz.

Smooth Wood: 500 sq. ft.

When working with hardwoods or thermally modified wood, durability and longevity are paramount. Preserving the natural beauty of the wood is essential, yet over time, it's common for wood to accumulate dirt, mildew, and lose its original luster and appeal.

That's where DeckWise® **WOOD CLEANER** and **WOOD BRIGHTENER**

come in. Specifically designed to restore exterior wood surfaces, these concentrated powders effectively remove dirt and graying, preparing the wood for re-oiling and finishing. Safe and specially formulated, they cleanse and brighten the wood without causing damage, ensuring that your outdoor wood retains its natural beauty for years to come.



32 oz.

Smooth Wood: 1000 sq. ft.

PRODUCT INFORMATION

- Cleans and brightens outdoor/exterior wood and removes dirt and graying
- Always clean before oiling and finish staining of wood surfaces
- Biodegradable, easy to handle and safe
- Outstanding for all exterior hardwood maintenance
- Concentrated powders provide maximum strength

CONCRETE & **PAVER** SEALER

Distributed By DeckWise®

WISECOAT®

Concrete & Paver Acrylic Sealer



Approximate Coverage per Gallon

Varies upon substrate: approximately 200 - 240 ft² per gal., per coat 6.7 - 8 mils wet; 2 - 2.4 mils cured.

{ Available in **5 GALLON**
BUCKETS }

34

WISECOAT® CONCRETE & PAVER ACRYLIC SEALER is a premium, high-performance, single-component, 30% acrylic solids, low VOC (400 g/l), sealer designed for exterior concrete surfaces and pavers such as driveways, patios, pool decks, walkways, and more. As with most concrete acrylics, it is vapor permeable and readily applies outside. Perfect for new concrete/paver application or a yearly maintenance recoating!

- Pressure clean and seal in the same day
- Locks down paver joint sand
- Non-yellowing and excellent chemical resistance
- Low V.O.C for interior and exterior use
- Inhibits mold, weeds, and ant hills
- High performance with excellent UV resistance
- Low odor, eco-friendly, and easy clean up
- May be applied to damp surfaces
- Resists chemicals and oil

Concrete & Paver Acrylic Sealer was made specifically in response to a growing need in climates that deal with very harsh and rapid freeze and thaw cycles. This premium concrete acrylic sealer product penetrates into the surface of concrete and strengthens it by bonding with the "cream" layer of the concrete, making it much more durable and able to deal with the rapid moisture ingress and egress. While most homeowners and/or contractors have nearly written off acrylic sealers as protective coatings for their concrete overlay projects in freezing climates, anyone who tries this product will think twice about leaving their beautiful concrete or pavers unprotected.

WOOD CARE & MAINTENANCE

DECK ICE-MELT

STOPS ICE & MELTS SNOW

Distributed By DeckWise®

Winter can transform your outdoor spaces into a beautiful snowy wonderland, but it also brings the peril of slippery deck or concrete surfaces that pose a risk to your safety.

DECKWISE® DECK ICE-MELT is a revolutionary decking snow and ice melt product designed to be your ally in combating the hazards of winter.

FEATURES & BENEFITS:

- Stops 1"-2" of ice and snow before they accumulate
- Safe for all surfaces, plants, grass, and pets
- Non-staining & non-toxic
- All-natural anti-snow/deicing
- Creates a non-stick surface
- Reactivation effect for up to 14 days
- Biodegradable & water soluble
- Effective between 37°F to -20°F
- USDA Bio preferred Product

APPLICATIONS:

- Decks & Patios
- Concrete & Pavers
- Natural Stone
- Driveways & Garages
- Entryways & Walkways
- Median Strips

What sets DeckWise® Deck Ice-Melt apart is its versatility; it can be sprayed on most wooden and composite outdoor decks, as well as concrete surfaces. This adaptability makes it a comprehensive solution for a range of decking materials. With a powerful potent solution that is gentle yet highly effective, Deck Ice-Melt offers a non-toxic and non-corrosive solution to keep your pathways safe.



**1 US Gallon Covers
Approx. 200-240 sq.
ft. per gal., per coat**

BRAZILIAN DECK TILE HARDWOOD

Manufactured By DeckWise®

WiseTile®

YOUR OUTDOOR HARDWOOD FLOOR™



LUXURIOUS.
LONG-LASTING.
EXCEPTIONAL VALUE.

WiseTile® **HARDWOOD DECK TILES** are modular solid Brazilian hardwood tiles that will transform any horizontal surface such as a balcony, an unsightly cracked concrete slab, outdoor shower, rooftop, pool/spa area or even an existing deck into a modern, elegant living space. WiseTile® Hardwood Deck Tiles offer homeowners and professionals affordable, semi-permanent decking that is quick and easy to install.

WiseTile® **HARDWOOD DECK TILES** are renewable & responsibly harvested from sustainable well-managed forests.

Available Deck Tiles	20" x 20"	24" x 24"
Ipe	✓	✓
Tigerwood	✓	✓
Cumaru	✓	✓
Massaranduba	✓	✓
Plantation Teak		✓



IPE (pronounced "ee-pay") is valued for its toughness, strength, and natural resistance to decay, fungus, and pest infestation. Ipe wood is a beautiful rich brown with reddish and amber hues.



CUMARU denseness is comparable to Ipe. Its even, golden brown coloring and moderate price make it an appealing alternate to most high priced hardwoods.



MASSARANDUBA is actually 2X more durable than California Redwood. Massaranduba tiles focus on one thing... a breathtaking velvety red appearance.



TIGERWOOD has superb hardness and durability, but is best known for its unique color. Deep red and golden brown hues with dramatic dark brown and black streaks give it an exotic look.




PLANTATION TEAK
Our Teak is grown for 20-50 years on well-managed plantations and harvested from Mexico and Columbia. This means you'll get the hardest, most durable wood without harming the environment.

VERSATILE & CONVENIENT!

- Quick, easy installs
- Semi-permanent decking
- Low maintenance
- Extremely durable
- 100% natural, chemical-free hardwood



Deck Tile Size Availability



Thickness: 1.18"
Net Finished Dimensions:
1.18" x 19.63" x 19.63"



Thickness: 1.69"
Net Finished Dimensions:
1.69" x 23.875" x 23.875"

HARDWOOD DECK TILE CONNECTORS

Manufactured By DeckWise®


With the DeckWise® **DECK TILE CONNECTOR SYSTEM**, you never need to worry about loose or uneven gaps between tiles. Each patented connector comes with a 3/16" spacer for perfect spacing between every deck tile.

Each Deck Tile Connector has pre-drilled countersink holes ready for fastening to any existing surface or substructure.




Shadowline Black • Hardwood Brown • Concrete Gray

Available in our **3 SIGNATURE COLORS** to help ensure a truly smooth, flat deck surface.



During installation, use the entire connector; use halves or quartered tile connectors on hidden and exposed edges including corners. Use the edge of the spacer to provide a gap between your new tiled deck and any adjacent structure such as a house, fence, or wall.

Simply score the connector using a utility knife along the molded grooves that mark the edges of the built-in spacers. Bend the edges downward to snap the connector in half. Repeat the same process to use a quarter of the connector to install on the corners of a deck tile layout.



U.S. Patent Number D665,657

- Corner pins secure tile placement
- Elevates the deck tile from wet underlying subsurfaces to help prevent wood rot
- Chemical & UV resistant polyethylene
- Pre-drilled countersunk holes for easy fastening into a concrete slab or any substructure
- Preset 3/16" gap spacing for even gaps between all connecting deck tiles
- Can be divided into halves or quarters easily with cutting tools using the molded score lines
- Center drain hole provides improved drainage for water runoff to prevent pooling in the corners
- Matte texture provides better appearance between gaps



DECK TILE PEDESTAL ELEVATION SYSTEM

Manufactured By DeckWise®

ALTITUDES PEDESTAL® FOR HARDWOOD DECK TILES

The DeckWise® **ALTITUDES PEDESTAL® SYSTEM** is engineered to build perfectly horizontal decking over underutilized spaces such as sloped rooftops and plaza areas. This system enables anyone to easily and quickly build an all-natural hardwood deck surface by elevating 24" x 24" modular hardwood deck tiles over uneven concrete, rooftops,



plazas, or walkways. Install deck tiles on sloped or uneven rooftops to hide pipes, cabling, drains or service ducts without the need to construct extensive sub-framing. Build luxurious decking where it was once impossible into a gorgeous family or party area to enjoy for years to come.

Pedestal systems utilize a head, a base and Schedule 40 PVC pipe to make installations simple for multiple height accommodations (up to 24 inches at their maximum safe height).

APPLICATIONS

- Rooftops
- Balconies
- Walkways
- Patios
- Verandas
- Resurface existing decks
- Use over uneven concrete

Schedule 40 PVC Plain End

4" x 2ft.



Convenient pre-cut PVC can be ordered and shipped to make pedestal installations much quicker with less headaches.

Pre-cut pieces measure 4" in diameter and are 24" long to allow for maximum pedestal heights as well and multiple smaller PVC support heights for an efficient installation.

Orders can range from single pieces or by the case.

CALL FOR AVAILABILITY

866-427-2547

3 MODELS AVAILABLE FOR VARIOUS SLOPE COMPENSATION



Lockit Down Washer®

The Lockit Down Washer® fits into the corner kerf cut slots of each installed deck tile which in turn, lock and hold hardwood deck tiles to the pedestal head. Deck tiles are also secured to the pedestal with pine tree fasteners, rated up to 166 lbs. of wind hold-down strength.

SJB-4156 SCREW-TO-ADJUST PEDESTAL 4-5/32" MIN.	SPVC-2656 STATIONARY PEDESTAL 2-21/32" MIN.	SPVC-15 STATIONARY PEDESTAL 1-1/2" MIN.
<ul style="list-style-type: none"> • Screw Jack Base • Self-leveling head • Slopes from 0%-5% • Max height 24" 	<ul style="list-style-type: none"> • Stationary Base • Self-leveling head • Slopes from 0%-5% • Max height 24" 	<ul style="list-style-type: none"> • Stationary Base • Flat head (non-adjustable) • Short installations • Max height 24"

Limited Warranty. U.S. Patent Numbers D728,185, D738,589, 9,556,621, and 9,803,377. Other patents pending.

Each Altitudes Pedestal® System Head and Base has drainage holes and channels for water; are exceptionally stable using 4" PVC Schedule 40 Plain End Pipe; and are impervious to freeze-thaw cycles due to the use of 20% Talc added to their polypropylene resin make up. Pedestals are warranted up to 1,200 lbs. of load. For complete Lab testing results go to www.deckwise.com/pedestal/testing

HARDWOOD BOARD STRAIGHTENING

Manufactured By DeckWise®

HARDWOOD™ WRENCH

One-Man, One Hand Installation.®

The **HARDWOOD WRENCH™** is the most advanced board straightening tool ever created. Install hidden deck fasteners or hidden siding fasteners with the original cam-locking tool. This is true “One-Man, One-Hand Installation®.” With a pushing force close to 1100 lbs., the Hardwood Wrench™ gives you

up to 8X more bending power over other hardwood board straightening tools.

An ergonomic handle and solid stainless steel joist pins give you the ability to straighten boards from both left or right hand directions. This is very useful when installers need to straighten a board on the outside of framing or in hard to reach areas.

{ The reversible handle and joist pins can be set for **DECKING** or **SIDING** and adjusted to 10 Configurations. }

{ **LOCKING CAM** holds boards in place while fasteners are installed. }



Patent Numbers: US 8,936,054; 10,526,801B2; D623,913; EP 2,387,648; DE202010001036.5; UK 2,469,964; AU 2010210940; CA 2,749,643. Other patents pending.



SELF LOCKING DECK BOARD STRAIGHTENER

Manufactured By DeckWise®

The uncomplicated design of the **HARDWOOD WRENCH Jr.™** fashions it as one of the most innovative board straighteners ever created. Its simplicity results in a lightweight, economical deck board tool making it a valiant contender bending unruly hardwoods, thermal woods, pressure treated, and composites. Just like his Papa! Use when fastening

edge-groove clips or when top-down face screwing on either wood or metal joists. Its universal versatility easily adjusts to fit 1-1/2" to 3.5" wide joists and utilizes a cam-lever action pushing up to 1,100 lbs. of force. This rapidly increases on-site deck installations with more efficiency over typical pry bars or chisels.



EXPANDABLE & REVERSIBLE

Works with single or double joists up to and all types of decking, including pre-grooved or standard lumber, composites, and thermally modified woods. The reversible handle accommodates multi-directional installation needs.



VERSATILE DESIGN

The knurled joist pins and handle of the *Hardwood Wrench™ and the Hardwood Wrench™ Jr.™ are interchangeable in 8 different configurations. *The Hardwood Wrench™ has 2 additional configurations to fit furring strips.

HARDWOOD WRENCH Jr.™

SELF LOCKING DECK BOARD STRAIGHTENER


Adjustable Stainless Steel Joist Pins For Use On Up To 3.5" Joists

Self-Locking Cam For True One Hand Installation

Powder Coated Steel Multi-Position Handle

Sturdy Polymer Handle For Comfort

Knurled Stainless Steel Joist Pins For Increased Gripping



SELF-ADHESIVE FLASHING BARRIER TAPE

Manufactured By DeckWise®

When **WISEWRAP®** barrier tapes prevent wood decay when screws, fasteners, or nails penetrate the boards, piercing the sub-framing. These flashing tapes are self-sealing waterproof barriers applied to the top of deck joists that prevent decay and wood rot. Nails, screws and hardware are sealed preventing the intrusion of water.



Use on
**FENCE
POSTS!**

Use on
**DECK
POSTS!**



WiseWrap® **JOISTTAPE™** Butyl

WiseWrap® **JOISTTAPE™** Asphalt

WiseWrap® **LEDGERTAPE™** Asphalt

3-1/8" x 50' Roll
1-5/8" x 50' Roll

3" x 75' Roll

12" x 25' Roll

DeckWise® offers our original **JoistTape™** with self-sealing malleable polyethylene material utilizing a rubberized **Asphalt** mastic adhesive measuring 3" x 75' and specs out at 35-40 mil thick.

Our newest **JoistTape™** barrier is a self-sealing **Butyl** deck flash featuring a high-performance butyl hybrid adhesive with a high strength non slip polypropylene backing. Available in 20-22 mil thickness 1-5/8" x 50' and 3-1/8" x 50' rolls.

LedgerTape® for ledger boards replaces metal flashing and is a self-sealing malleable polyethylene material utilizing a rubberized **Asphalt** mastic adhesive. Each roll measures 12" x 25' and is 35-40 mil thick. Ideal for also applying to the in-ground portion of deck posts or fence posts, it creates a waterproof barrier that safeguards against wood post rot and decay caused by ground moisture.



DECK BOARD SPACER GAP TOOLS

Manufactured By DeckWise®

WiseGuides®

WISEGUIDES® Deck board spacers by DeckWise® are a great addition to any deck building toolbox. The versatile design allows builders to use these board spacers in any position between boards. With their bright color-coded design, finding the right spacer is much easier than the other generic, disposable

brands on the market. The special V-blade design of DeckWise® board spacers prevent denting and marring of the deck boards when pressed together during installation. Moving laterally in between boards is a breeze thanks to the spacer's unique handle.



Use with **HARDWOODS, PT, THERMALLY MODIFIED WOODS, & COMPOSITE DECKING**

... any decking material!



Sizes Available



1/8" (3,2mm)	5/32" (4mm)	13/64" (5,2mm)	1/4" (6,4mm)	5/16" (8mm)
-----------------	----------------	-------------------	-----------------	----------------

6 pack: 6 of any 1 size	✓	✓	✓	✓	✓
20 pack: 20 of any 1 size	✓	✓	✓	✓	✓
20 pack: 4 of each size	✓	✓	✓	✓	✓

PREMIUM EPOXY FOR WOODWORKING

A Product Of DeckWise®

WiseBond®

PREMIUM COMMERCIAL GRADE

WISEBOND® EPOXY SYSTEMS are premium grade resin and hardener kits for DIYers, woodworkers and artisans for the creation of beautiful furniture, artwork, object casting and lathe turning. This super clear casting epoxy is unmatched with exceptional clarity.



WWW.WISEBOND.COM

WiseBond® Deep Pour and WiseBond® Bar & Table Top Epoxy cure to a crystal clear appearance or can be tinted with our WiseColor™ powders or liquid pigments. WiseColor™ colorants range from over 70 powder colors including glow-in-the-dark colors, 10 alcohol ink pigments, 6 solid opaque dyes, and 10 amazing chameleon color shifting powders. Tools and accessories also available.




Also available:

Quick-Set Seal Epoxy


Brush on live-edges and table surfaces to prevent air bubbles, or use to fill wood cracks and splits.

Art & Tumbler Epoxy

Apply to beverage tumblers for a crystal clear, hard, durable outer shell; make jewelry with molds; and pour over art projects for a super glossy sheen.



WiseBond® Deep Pour 2:1 ratio Epoxy permitting 2" of epoxy depth in a single pour for super thick results. Perfect for making river tables! Pour up to 6"x6"x6" blocks for object casting or lathe turning.



WiseBond® Bar & Table Top Epoxy is a 1:1 ratio super wet gloss epoxy finish for bars, counters, and table tops. It is a self-leveling surface coating for high gloss finishes and includes UV stabilizers. Pour 1/8" flood coatings on any surface!

DECKING TOOLS & ACCESSORIES

Distributed By DeckWise®

DRILL BITS & TIPS

 1/8" High Speed Drill Bit

Sizes Available	T10	T15	T20	T25	R1	R2
1" Star Drive Tip	✓	✓	✓	✓	-	-
2" Star Drive Tip	✓	✓	✓	✓	-	-
1" Square Tip	-	-	-	-	✓	✓



T10 Star Drive Tip



R1 Square Drive Tip



T15 Star Drive Tip



R2 Square Drive Tip



T20 Star Drive Tip



tTap T15 Star Drive Tip



T25 Star Drive Tip



tTap® T-20 Drive Tip

*TORX® and tTap® are the registered trademarks of Camcar Innovations.

PREMIUM HARDWOOD PLUG CUTTER

3/8"

1/2"



Conveniently cut hardwood plugs on the job site.

- Anti-skate design
- Self centering Guide Pin
- Use with Hand-Held Drill or Drill Press

ROUTER BITS




ADHESIVES

For use with
hardwood plugs.




4oz. & 36oz.
(118ml & 1065ml)

5/32" 4-WING SLOT CUTTER BITS



1/2" Arbor (12,7mm)
Blade Diameter - 1-7/8"
Slot Width (A) - 5/32"
Slot Depth (B) - 1/2"



1/4" Arbor (6,4mm)
Blade Diameter - 1-7/8"
Slot Width (A) - 5/32"
Slot Depth (B) - 1/2"



DeckWise®

Manufacturers of Hidden Deck Fasteners & Accessories



NORTH AMERICAN ADMINISTRATION & MANUFACTURING FACILITY

DeckWise®
The Ipe Clip® Fastener Company
2111 58th Ave East
Bradenton, FL 34203

Phone Number: 941-896-9851
Toll Free Number: 866-427-2547
Fax Number: 941-896-9858

EUROPEAN SALES OFFICE

DeckWise® International B.V.
Nijverheidsweg Noord 60-2
3812 PM Amersfoort
The Netherlands

VAT Number: NL8514.52.863.B.01.
Chamber Of Commerce
Number: 54820634

Phone Number: + 31 33 469 1037
Fax Number: + 31 33 448 0525

Call 866-427-2547 for ordering

www.DeckWise.com

©2024 DeckWise®, The Ipe Clip® Fastener Company, LLC. All rights reserved.
Ipe Clip® is manufactured by DeckWise®.

V-4/8/2024