

1). IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifiers

Product name: Deck & Wood Cleaner Part 1

Other Means of Identification

Product code Not available
Product type Substances

Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)

Bleaching agent, Cleaning products, Oxidant, Washing product

Uses Advised Against

Anything other than the above.

Company: DeckWise®, The Ipe Clip® Fastener Co. LLC

Address: 2111 58th Ave. East Bradenton, FL 34203

1-866-427-2547 Telephone:

Emergency telephone number CHEMTEL (US): 1-800-255-3924

2). HAZARDS IDENTIFICATION

Classification of the substance or mixture in accordance with paragraph (d) of 29 CFR 1910.1200

Physical hazards Oxidizing solid, Category 2
Health hazards Acute toxicity, Category 4
Skin sensitization, Category 1

Eye damage, category 1

Environmental hazards Not classified

Label elements Pictogram







Distributed by:

Address:

Telephone:

Emergency

Telephone

DeckWise®,

The Ipe Clip® Fastener Co. LLC

CHEMTEL (US): 1-800-255-3924

2111 58th Ave. East

Bradenton, FL 34203

1-866-427-2547

Signal word Danger

Hazard Statement(s)

May intensify fire; oxidizer.

Harmful if swallowed.

May cause an allergic skin reaction. Causes serious eye damage.

Precautionary Statement(s) Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

Keep away from clothing and other combustible materials.

P264 - Wash face, hands, and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection.

Immediately call a POISON CENTER/doctor.

DeckWise Cleaner Page 1





Safety Data Sheet

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists: Get medical advice/attention

In case of fire: Use water, water spray to extinguish.

Other hazards

None known

Percent of the mixture consists of ingredient(s) of unknown acute toxicity:

0% of the mixture consists of ingredients of unknown acute inhaled toxicity. 0% of the mixture consists of ingredients of unknown acute oral toxicity. 0% of the mixture consists of ingredients of unknown acute dermal toxicity.

3). COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical identity of the substance	CAS-No	Weight %
Sodium carbonate	497-19-8	30%-40%

Chemical identity of the substance	CAS-No	Weight %
Disodium Carbonate, compound with hydrogen peroxide (2:3)	15630-89-4	60%-70%

Mixtures Not applicable

4). FIRST AID MEASURES

Description of first aid measures Self-protection of the first aider

No action should be taken involving personal risk. Wear appropriate personal protective equipment, avoid direct contact. Ensure adequate ventilation. Avoid contact with skin and eyes. Do not breathe vapour. Remove contaminated clothing

and wash clothing before reuse.

Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a

POISON CENTER/doctor if you feel unwell.

Skin Contact Eye IF ON SKIN: Wash with plenty of water/soap. Continue to wash the affected area for

at least 15 minutes. Remove contaminated clothing and wash clothing before reuse.

Seek medical attention if irritation persists.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

Page 2

Obtain prompt consultation, preferably from an ophthalmologist.

Ingestion IF SWALLOWED: Rinse mouth with water (only if the person is conscious). Make victim drink plenty of water. Do NOT induce vomiting. Immediately call a POISON

CENTER/doctor.

Harmful if swallowed. May cause an allergic skin reaction. Causes serious eye

damage.

Treat symptomatically.

5). FIRE-FIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

Use fire-extinguishing media appropriate for surrounding materials. Water, Water

Unsuitable extinguishing Media Do not use water jet. Direct water jet may spread the fire.

Special hazards arising from the

substances or mixture

May intensify fire; oxidizer. Oxygen released in thermal decomposition may support combustion. Contact with combustible material may cause fire. Risk of explosion if

heated under confinement. In case of fire may be liberated: Carbon monoxide,

Carbon dioxide (CO2), Oxygen.

Advice for fire-fighters

Fight fire with normal precautions from a reasonable distance. Evacuate area. Remove persons to safety. Move undamaged containers from immediate hazard area if it can be done safely. Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separate-

ly. Do not allow entering drains or surface water.

6). ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

No action should be taken involving personal risk. Wear appropriate personal protective equipment, avoid direct contact. Ensure adequate ventilation. Do not breathe vapour. Avoid all contact. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid dust formation. Remove contaminated clothing and wash all affected areas with plenty of water.

Methods and materials for containment and cleaning up

Stop leak if safe to do so. Wipe up with absorbent material (eg. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills in original containers for re-use. Ventilate the area and wash spill site after material pick-up is

complete.

7). HANDLING AND STORAGE

Conditions for safe storage, including any

Precautions for safe handling

Provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures. Avoid all contact. Do not ingest. Do not breathe vapour. Wear protective gloves/eye protection. Do not eat,

drink or smoke when using this product. Wash hands before breaks and after work. Keep only in original packaging. Keep in a well-ventilated place. Keep container closed. Store in a cool/low-temperature, well-ventilated (dry) place away from heat

and ignition sources. Keep from direct sunlight.

Storage temperature Incompatible materials

incompatibilities

DeckWise Cleaner

Stable at ambient temperatures. Aluminum, Powdered aluminum

Most important symptoms and effects, both acute and delayed Indication of any immediate medical

attention and special treatment needed

DeckWise Cleaner

Page 3





Safety Data Sheet

8). EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Ingredient	Agency	Workplace Exposure Limits	
Carbonic acid sodium salt (1:2) OSHA PEL (TWA) (n		10 mg/m³ Total dust,	
		5 mg/m³ Respirable fraction	
Carbonic acid sodium salt (1:2)	MSHA	10 mg/m³ Total dust,	

Occupational Exposure Limits Not established. Biological exposure indices Not established.

Ensure adequate ventilation. Guarantee that the eye flushing systems and safety Appropriate engineering controls

> showers are located close to the working place. Avoid dust generation. Atmospheric levels should be controlled in compliance with the occupational exposure limit.

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Individual protection measures, such as personal

protective equipment (PPE)

Keep good industrial hygiene. Obtain special instructions before use. Avoid contact with skin, eyes and clothes. Wash contaminated clothing before reuse. Avoid all

contact. Do not eat, drink or smoke at the work place.

Eye/face protection Wear chemical resistant protective eye glasses. Wear eye protection with slide

protection (EN166).

Skin Protection

Hand protection: Wear impervious gloves (EN374). Breakthrough time of the glove material: refer to the information provided by the gloves' producer. (117)

Recommended: PVC, Neoprene, Natural rubber

Body protection: Wear impervious protective clothing, including boots, lab coat,

apron or coveralls, as appropriate, to prevent skin contact.

Respiratory protection In case of inadequate ventilation wear respiratory protection. Recommended: EN143

Type A-P2

9). PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance White Crystalline solid, Crystalline powder

Odour Odourless Odour threshold Not applicable

10.4-10.6; 140 g/l; 20 °C

Melting Point/Freezing Point Not applicable Initial boiling point and boiling range Not applicable

Flash Point Not applicable **Evaporation Rate** Not known Flammability (solid, gas) Not flammable

Upper/lower flammability or explosive limits Not flammable / Not explosive

Vapour pressure Not applicable Vapour density Not applicable Relative density 2.16; 20.4 °C Water; 140 g/l; 20 °C Solubility(ies) Partition coefficient: n-octanol/water No data available Not applicable Auto-ignition temperature **Decomposition Temperature** > 75 °C Viscosity Not applicable

Other information

g/cm³ 2.16; 20.4 °C Density

Percent Volatile(%) Not known Specific Gravity Not known Not explosive Explosive properties

10). STABILITY AND REACTIVITY

Potential for exothermic hazard. Stable under recommended storage and handling Reactivity

conditions.

Chemical stability Unstable in the presence of moisture and heat.

Possibility of hazardous reactions May intensify fire; oxidizer. Oxygen released in thermal decomposition may support

combustion. Contact with combustible material may cause fire. Risk of explosion if

heated under confinement.

Conditions to avoid Store in a cool/low-temperature, well-ventilated (dry) place away from heat and

ignition sources. Keep from direct sunlight.

Incompatible materials Avoid contact with: Water, Acids, Bases, Heavy metal salts, Reducing agent, Organic

material, Flammable material.

Hazardous decomposition product(s) In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Oxygen.

11). TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity - Ingestion Acute toxicity, Category 4; Harmful if swallowed.

LD50 (oral, rat) mg/kg: 1034

Acute toxicity - Skin Contact Based upon the available data, the classification criteria are not met.

LD50 (skin, rabbit) mg/kg: >2000

Acute toxicity - Inhalation Based upon the available data, the classification criteria are not met. Skin corrosion/irritation Based upon the available data, the classification criteria are not met.

DeckWise Cleaner Page 5 Page 4 DeckWise Cleaner





Safety Data Sheet

Serious eye damage/irritation Eye damage, category 1; Causes serious eye damage.

Severe/very severe irritant to rabbit eyes. (OECD 405) (Unnamed 1995)

Respiratory or skin sensitization Skin sensitization, Category 1; May cause an allergic skin reaction.

EC3: ≤10 - 100 ≥. Weak sensitizer.

Germ cell mutagenicity

Based upon the available data, the classification criteria are not met.

Reproductive toxicity

Based upon the available data, the classification criteria are not met.

Based upon the available data, the classification criteria are not met.

Based upon the available data, the classification criteria are not met.

Based upon the available data, the classification criteria are not met.

Based upon the available data, the classification criteria are not met.

Based upon the available data, the classification criteria are not met.

Based upon the available data, the classification criteria are not met.

Information on likely routes of exposure

InhalationPossible – accidental exposureIngestionPossible – accidental exposureSkin ContactPossible – accidental exposureEye ContactPossible – accidental exposure

Early onset symptoms related to exposure Harmful if swallowed. May cause an allergic skin reaction.

Causes serious eye damage.

Delayed health effects from exposure None anticipated

Exposure levels and health effects See Section: 8

12). ECOLOGICAL INFORMATION

Ecotoxicity

Sodium carbonate (497-19-8)					
Active Ingredient(s)	Duration	Species	Value	Units	
Sodium Carbonate	96 h LC50	Bluegill sunfish	300	mg/L	
Sodium Carbonate	48 h EC50	Ceriodaphnia	200-227	mg/L	

13). DISPOSAL CONSIDERATIONS

Waste treatment methods

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Disposal should be in accordance with local, state or national legislation. Handle contaminated packages in the same way as the substance itself. Noncontaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. The waste code has to be identified in agreement with the disposal company or the competent authority.

14). TRANSPORTATION INFORMATION

Road/Rail (ADR/RID) Sea transport (IMDG) Air (ICAO/IATA)
UN number UN 3378 UN 3378 UN 3378

UN proper shipping name SODIUM CARBONATE SODIUM CARBONATE SODIUM CARBONATE

PEROXYHYDRATE PEROXYHYDRATE PEROXYHYDRATE

Transport hazard class(es) 5.1 5.1 5.1 II II

Environmental hazards Not classified Not classified as a Not classified

Marine Pollutant.

Special precautions for user See Section: 2

Special provisions TU3 (ADR only), B120, IB8, IP2, IP4, T3, TP33

Limited Quantities 1kg / E2
Tunnel Code 2 (E)

Transport in bulk according to Annex II of

MARPOL 73/78 and the IBC Code

Not applicable

Additional Information

Hazard Identification Number 50

15). REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

US Federal Regulations

TSCA Chemical Data Reporting (CDR) Rule Listed (subject to 25,000 lb reporting threshold)

NIOSH Occupational Carcinogen List

EPCRA Section 313

The substance is not listed.

CWA 307-Toxic

CERCLA - Hazardous Substances

The substance is not listed.

US State Regulations

Proposition 65 (California) The substance is listed.

WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov .

California State - Hazardous substances

information and training Act

The substance is not listed.

DeckWise Cleaner Page 6 DeckWise Cleaner Page 7





Safety Data Sheet

Massachusetts, New Jersey, Pennsylvania,

The substance is not listed.

Rhode Island- State Right to Know Lists New York -State Right to Know Lists

Listed

Minnesota - State Right to Know Lists

The substance is not listed.

Non-Regional

IARC Monographs The substance is not listed.

16). OTHER INFORMATION

The following sections contain revisions or new statements: Section 14.

Version V1.

Date of issue 05 September 2023
Date of First Issue 21 December 2022

This Safety Data Sheet was prepared in accordance with US Regulation OSHA HCS (29 CFR 1910.1200)

References:

Existing ECHA registration(s) for Disodium carbonate, compound with hydrogen peroxide (2:3) (CAS No. 15630-89-4)

Existing Safety Data Sheet (SDS)

Still Meadow Incorporated Test results – ID: 19320-15 / 19318-15

SGS US Testing company Test results - ID: 165697

LEGEND

ADR/RID ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road / RID:

Regulations concerning the international railway transport of dangerous goods

CAS: Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

DNEL Derived No Effect Level

EC50 Half maximal effective concentration

EC European Community
ECHA European Chemicals Agency

EU European Union

IATA: International Air Transport Association

ICAO/IATA ICAO: International Civil Aviation Organization / IATA: International Air Transport Association

IMDG: International Maritime Dangerous Goods
LD50 Lethal dose at which 50% of the population is killed

LC50 Lethal concentration at which 50% of the population is killed

LTEL Long Term Exposure Limit

NOEC No Observed Effect Concentration

MARPOL The International Convention for the Prevention of Pollution from Ships

DeckWise Cleaner Page 8

OECD Organization for Economic Cooperation and Development

PBT: Persistent, Bioaccumulative and Toxic

PNEC Predicted No Effect Concentration

REACH Registration, Evaluation, Authorization and Restriction of Chemicals

STEL Short Term Exposure Limit

UN United Nations

vPvB vPvT: very Persistent and very Toxic

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. OCI Chemical Corporation gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. OCI Chemical Corporation accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

End of the Safety Data Sheet

DeckWise Cleaner